

 **SAILUN**
TYRE



Drive axle tyre designed for
regional haul operations



DELIVERY PRO D.



Performance mile after mile.















- Designed to deliver both outstanding and lasting traction and safety.
- Durable abrasion resistant compound delivers high mileage.
- 5-rib directional pattern design for all-weather performance.



 **ENERG** 

SAILUN T00-3120006137

315/70R22.5 18PR 156/150 L C3


Rolling Resistance	Wet Grip
 A	 A
 B	 B
 C	 C
 D	 D
 E	 E

 72 dB 

2020/740

DELIVERY PRO D.



Designed to deliver outstanding traction and safety:


The five-rib design offers versatility across various road conditions, with full-depth lateral grooves for stronger driving ability and consistent performance throughout the tyre's life cycle.

Durable abrasion resistant compound delivering high mileage:

Compared to the previous generation, the new design reduces rolling resistance, enhances wear resistance, increases mileage, and improves fuel efficiency.


5-rib directional pattern design for all-weather performance:

The 3D sipes on the pattern blocks enhance grip on slippery roads and snow, further improving vehicle safety.






Exceptional safety with best-in-class wet grip:

5-rib directional pattern designed to deliver maximum traction and safety as well as improved wet performance.



Greater durability and increased mileage:

Larger tread blocks and wider grooves increase robustness and enhance mileage.




Full depth (20mm) 3D sipes maintain high levels of traction throughout the life of the product and optimise performance in all season conditions.



Durable abrasion resistant compound:

A dedicated regional compound optimised for improved mileage and reduced rolling resistance compared to the previous generation.



Size	Ply Rating	Load Index	Speed Rating	EPREL Codes	RR	WG	NG Db	NG	Certificate Type
315/80R22.5	18PR	156/150(154/150)	L(M)		C	A	72	A	M+S/3PMSF/TRACTION
315/70R22.5	20PR	156/150(152/148)	L(M)		C	A	72	A	M+S/3PMSF/TRACTION

 **SAILUN**
TYRE

SUSTAINABLE PERFORMANCE.